



Classic Battery Cabinet, IEC, 1000mm wide, Config A2, Galaxy VS/VL and Easy UPS 3-Phase Modular

GVSCBC10A2

О	.,	\sim	-		•	\sim		١.
	v	ᆫ		v		_	v	v
•	•	•	•	•	•	•	•	٠

Presentation	Battery cabinet that includes batteries and battery breaker.
Lead time	Usually Ships within 2 Weeks

Main

Battery Type VRLA

Batteries & Runtime

Battery Slots Empty	48
Included Battery Modules	0
Device mounting	Enclosed battery cabinet

Physical

Color	White
Height	74.80 in (190 cm)
Width	39.76 in (101 cm)
Depth	33.27 in (84.5 cm)
Net Weight	2777.83 lb(US) (1260 kg)
Surface Finish	Gloss level 85%

Environmental

Ambient Air Temperature for Operation	32104 °F (040 °C)
Relative Humidity	095 % non-condensing
Ambient Air Temperature for Storage	5104 °F (-1540 °C)
Storage Relative Humidity	1080 % non-condensing

Ordering and shipping details

GTIN 731304404798

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1	1
Package 1 Height	74.80 in (190 cm)
Package 1 Width	33.27 in (84.5 cm)
Package 1 Length	39.76 in (101 cm)
Package 1 Weight	2777.83 lb(US) (1260 kg)

Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
Optimized Energy Efficiency	Energy efficient product
Take-back	Take-back program available

Recommended replacement(s)